


# FOUNDRY26



◆ CAESAR ◆  
DESIGNED IN ITALY MADE IN USA

MADE IN USA  
DESIGNED IN ITALY

# FOUNDRY26


METAL LOOK

CREATIVE REFLECTIONS.  
The character of the metal-effect porcelain stoneware creates unique and unexpected everyday ambiances.

CAESAR MADE IN USA	03
INSPIRATION	05
PHOTO GALLERY	07
RANGE	23



# CAESAR USA



The USA have always represented a priority market for Caesar, since its foundation in 1988. Starting in **1997**, the company has a branch office and a warehouse located in **New Jersey** (Eatontown) company owned **Caesar USA Inc.** Over the years, Caesar's service in the USA has increased in a capillary way with the opening of new **logistic hubs** in **Florida** and **California**.

This path goes on in **2016 with the local production of porcelain collections** dedicated to the American market. These products are manufactured in the **brand-new plant located in Tennessee** (MT Pleasant) owned by Gruppo Concorde, which Caesar is part of.

#### DESIGNED IN ITALY

The materials, specifically thought for the American market are **designed in Italy** thanks to the **unique know-how** that the company has developed over years of activity.


#### MADE IN USA

The **industrial production is in the USA** offering considerable **logistic advantages** to the entire distribution network.

# ADVANTAGES




**Created for the USA market**  
Exclusive products and collections designed to meet the needs of American consumers.




**Avant-garde technology**  
Modern and state of the art production sites: maximum quality, efficiency, care of the workers and of the environment.



**Top logistic and service**  
Market presence, quick distribution, improved customer service.



**Style, Design, trend**  
The Italian ceramic tradition interprets American taste to create products featuring unique appeal and certified reliability.



**A broad range**  
The made in the USA products enrich the broad range of Caesar. Made in Italy products, with more than 2400 items, 240 colors and more than 30 sizes.

Thanks to the strategy **Designed in Italy Made in USA**, Caesar offers doubles the advantages offered to American clients.

- \_ On one hand, the style and technical avant-garde of a design developed by Caesar in Italy.
- \_ On the other hand, the logistic and commercial advantages of a made in the USA product.

# SIZES



RECTIFIED

# COLORS

FOUNDRY26 enriches every style with the beauty of metal by giving it unusual reflections.

Technology makes the aesthetic of metal usable in a multitude of situations.

By freeing the matter from a myriad of uncertainties, a personality that merges harmony and design is left behind, blending in with any furnishing item.

The various shades make the possible combinations a veritable game of creativity.



ZINC



ALLOY



OXIDE



RAIL

INSPIRATION



# FOUNDRY26

OXIDE  
RAIL  
DECISIVE CHARACTER

WALL \_ 12"x12" Comp M RAIL  
FLOOR \_ 24"x24" OXIDE



---

# OXIDE RAIL

---

The new metal effect porcelain stoneware interprets the latest aesthetic trends, for those who wish for a singular floor rich in personality.



WALL \_ 12"x12" Comp M RAIL  
FLOOR \_ 24"x24" OXIDE





OXIDE  
ZINC

TRENDY  
COMMERCIAL SPACES

WALL \_ 12"x24" ZINC  
FLOOR \_ 24"x24" OXIDE \_ 12"x24" ZINC



---

# OXIDE ZINC

---

---

The interior design of modern commercial spaces finds a fundamental component in this flooring with bold character.

---



FOUNDRY 26





---

# ALLOY

METAL EFFECT,  
SAFELY  
AND PRACTICAL

24"x24" \_12"x24" ALLOY

FOUNDRY26




---

# ALLOY

---

Foundry26 offers the metal matter-like feel together with the easy installation and maintenance of porcelain stoneware. It does not rust.



24"x24" 12"x24" ALLOY





RAIL  
ZINC

HIGH PROFILE  
AESTHETICS

WALL \_ 12"x24" ZINC  
FLOOR \_ 24"x24" RAIL



---

# RAIL ZINC

---

---

The Foundry26 range offers 4 modern colors, designed to tone in with all the materials preferred today for use in architecture and interior design.

---









**ZINC**  
Rectified\_Squared

-  Porcelain Stoneware
-  Floor
-  Wall
-  V2 Slight Variation
-  BOOT 3000 compliant
-  Thickness 3/8" (9mm)
-  Rectified Tile
-  NO V.O.C
-  Frost Proof
-  Low water absorption (<0.5%)
-  Made in Usa




24"x24"



12"x24"


DECORS

Composizione M




12"x12" \_ Tozzetto size 2"x 2"

TRIMS



3"x24" \_ Bullnose













6"x12" \_ Covebase






**ALLOY**  
Rectified\_Squared

-  Porcelain Stoneware
-  Floor
-  Wall
-  V2 Slight Variation
-  BOOT 3000 compliant
-  Thickness 3/8" (9mm)
-  Rectified Tile
-  NO V.O.C
-  Frost Proof
-  Low water absorption (<0.5%)
-  Made in Usa




24"x24"



12"x24"


DECORS

Composizione M




12"x12" \_ Tozzetto size 2"x 2"

TRIMS



3"x24" \_ Bullnose













6"x12" \_ Covebase






**OXIDE**  
Rectified\_Squared

-  Porcelain Stoneware
-  Floor
-  Wall
-  V2 Slight Variation
-  BOOT 3000 compliant
-  Thickness 3/8" (9mm)
-  Rectified Tile
-  NO V.O.C
-  Frost Proof
-  Low water absorption (<0.5%)
-  Made in Usa




24"x24"



12"x24"


DECORS

Composizione M




12"x12" \_ Tozzetto size 2"x 2"

TRIMS



3"x24" \_ Bullnose




6"x12" \_ Covebase






# RAIL

Rectified\_Squared



24"x24"




12"x24"

-  Porcelain Stoneware
-  Floor
-  Wall
-  V2 Slight Variation
-  BOOT 3000 compliant
-  Thickness 3/8" (9mm)
-  Rectified Tile
-  NO V.O.C
-  Frost Proof
-  Low water absorption (<0.5%)
-  Made in Usa


## DECORS

Composizione M




12"x12" \_ Tozzetto size 2"x 2"

## TRIMS



3"x24" \_ Bullnose



6"x12" \_ Covebase



# METAL LOOK

# FOUNDRY26

### COLORED-BODY PORCELAIN TILES - RECTIFIED

Colored-body porcelain stoneware tiles are produced minimizing the color difference between the glaze and the body. Nevertheless, the design is visible only on the surface.



Zinc	●	●	●	●
Oxide	●	●	●	●
Rail	●	●	●	●
Alloy	●	●	●	●

● Matt / rectified one caliber

### PACKAGING

SIZE		BOX				PALLET					
INCHES	MM	PCS	SURFACE (SQF)	SURFACE (SQM)	WEIGHT (LBS)	WEIGHT (KG)	BOXES	SURFACE (SQF)	SURFACE (SQM)	WEIGHT (LBS)	WEIGHT (KG)
24"x24"	610x610	3	11,62	1,08	~47,62	~21,6	40	464,8	43,2	~1904,8	~864
12"x24"	305x610	7	13,56	1,26	~55,55	~25,2	40	524,4	50,4	~2222	~1008

<p><b>V0</b> <b>Very Uniform appearance.</b> Pieces of the same shade value are very uniform and smooth in texture. They can be measured for small color differences and are in compliance with the color uniformity requirements of tables 6-10 (ANSI A137.1-2012)</p>	<p><b>V1</b> <b>Uniform Appearance.</b> Differences among pieces from the same production run are minimal.</p>	<p><b>V2</b> <b>Slight Variation.</b> Clearly distinguishable texture and/or pattern within similar colors.</p>	<p><b>V3</b> <b>Moderate Variation.</b> While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.</p>	<p><b>V4</b> <b>Substantial Variation.</b> Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.</p>
---	--	---	--	--

Color reproductions may vary from actual products.

Caesar reserves the right to modify the products illustrated in this catalogue for reasons of production or to improve quality. Samples are purely indicative. Packaging and weights may vary for production reasons. Contact our sales department when ordering.

In case of running pattern installation, Caesar recommends a maximum 33% offset.

Caesar warrants that our products meet or exceed the requirements of ANSI, specification ANSI A137.1: 2012, as shown in our Tile Performance Data sheets.

# TILE PERFORMANCE DATA

### COLORED-BODY PORCELAIN TILES - RECTIFIED

CLASSIFICATION IN ACCORDANCE WITH ANSI A137.1: 2012 (P1 CLASS).

TECHNICAL FEATURE	ASTM TEST	VALUE REQUIRED ANSI A 137.1-2012	CAESAR AVERAGE VALUE
Facial dimension	ASTM C-499	±0,5% o ±2,0 mm	In accordance to ANSI A 137.1-2012
Thickness	ASTM C-499	0,040 inch max (1 mm)	
Wedging	ASTM C-502	≤ 0,5% (+/- 2 mm)	
Warpage diagonal	ASTM C-485	≤ 0,5% (+/- 2 mm)	
Warpage edge (for tile <610x610 mm)	ASTM C-485	±0,40% or ±1,3 mm	
Warpage edge (for tile >610x610 mm)	ASTM C-485	±0,40% or ±1,8 mm	
Water absorption	ASTM C-373	≤ 0,5%	Passed "impervious tiles" Class P1
Breaking strength	ASTM C-648	≥ 250 lbs (>=1113 N)	>=400 lbs
Freeze thaw	ASTM C-1026	No damages	In accordance
Chemical resistance	ASTM C-650	As reported	Unaffected
MOHS hardness			6
Dynamic Coefficient of Friction		0,42	In accordance

Average values referred to the last two years of production and related to the matt finish of the product.

Values relate to the matt finish of the product and to tests carried out by certified external laboratories, whose results are available upon request at Headoffice. Be sure to use the same caliber tiles.

Color reproductions may vary from actual products.

\* Due to the intrinsic nature of porcelain stoneware tiles, please note that the coefficient of friction may vary within the same production lot or from one production lot to the other. Caesar products can become slippery when wet. We recommend to always keep the surface dry.



---

## CLEANING PROCEDURES

- After 36/48 hours, when both the floor and the grouts have completed their first drying phase and before the real phase of the floor has yet to begin, it is necessary to proceed with the cleaning of the tiled surface using a "padding" action acid detergent, diluted according to the manufacturer's instructions.
- For areas heavily stained with grout, it is necessary to repeat this operation once or twice, increasing the percentage of water.
- The excess grout residue must be removed so that it does not dry and stick on the surface. It is necessary to change the cleaning water frequently and rinse well.
- Care must be taken on inlaid, polished and anti-slip products; for the latter in particular, the use of a floor-washing machine combined with the action of an acid detergent helps reach the spaces between adjacent tiles and clean them properly.
- If such a cleaning procedure is not carried out, or if such cleaning is carried out too late, the grout residue creates an extremely absorbent film, which holds dirt, making the surface difficult to clean: in this case, Ceramiche CAESAR S.p.A. will not be liable for any damage caused to the surface.
- We would like to remind you that porcelain stoneware is a product with excellent technical features which allow for high grade of mechanical wear and resistance to acids (except for hydrofluoric acid and its derivatives) and alkalis, features which are added to a high aesthetic quality.
- Ordinary maintenance must be carried out using specialist detergents to remove stains but these detergents must not leave a wax, film or membrane residue.
- Rinsing well with plenty of clean water is a fundamental part of the cleaning procedure, therefore we advise against the use of products which state that they "do not need rinsing".
- For more detailed and updated information, please consult the website [www.caesarceramicsusa.com](http://www.caesarceramicsusa.com), or contact our sales department.



FOUNDRY26

---

CERAMICHE  
♦ CAESAR ♦  
DESIGNED IN ITALY MADE IN USA  
[www.caesarceramicsusa.com](http://www.caesarceramicsusa.com)


**PORCELAIN STONEWARE**

Color reproductions may vary from actual products.

Caesar reserves the right to modify the products illustrated in this catalogue for reasons of production or to improve quality. Samples are purely indicative. Packaging and weights may vary for production reasons. Contact our sales department when ordering.

Caesar warrants that our products meet or exceed the requirements of ANSI, specification ANSI A137.1: 2012, as shown in our Tile Performance Data sheets.

The Caesar complete terms and conditions of sale (including limited warranty) are specified in the price list. Should you need further information, please contact our sales department.



FOUNDRY26

---

◆ CAESAR ◆  
DESIGNED IN ITALY MADE IN USA  
[www.caesarceramicsusa.com](http://www.caesarceramicsusa.com)

CAESAR CERAMICS USA, INC.  
35 James Way - Eatontown, NJ 07724  
Phone: +1 (732) 389 5757  
fax: +1 (732) 389 8589

